

CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 0751-CPR-196.0-07

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

"mineral wool products"

Thermal insulation products for buildings
acc. EN 13162:2012+A1:2015

(details see annex)
produced by or for

SAINT-GOBAIN ISOVER G+H AG

Bürgermeister-Grünzweig-Str. 1,
67059 Ludwigshafen, Deutschland

and produced in the manufacturing plant(s)

Saint-Gobain Isover G+H AG
19386 Lüz

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


EN 13162:2012+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 25.11.2015 and will remain valid (but no longer than 24.06.2025) as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Gräfelfing, 24 June 2024



Dr. Andreas Schmeller

Andreas Schmeller
Certification Body

ANNEX TO CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 0751-CPR-196.0-07

Factory: Saint-Gobain Isover G+H AG, 19386 Lüz

Construction product(s): Factory made mineral wool (MW) products according to EN 13162:2012+A1:2015

Intended use: Thermal insulation products for buildings

**Level(s) or class(es)
Reaction to fire:** for uses subject to regulations of reaction to fire A1, A2, B, C.
Products for which a clearly identifiable stage in the production process results in an improvement in the reaction to fire classification.

System of Assessment and Verification of Constancy of Performance: 1

Table 1: Description of the products

	Product			Classification		
	Name	Thickness range mm	Facing/ Coating	Reaction to fire class	Density range kg/m ³	Classification report or test report*
1	ULTIMATE AP Supra-031	60 - 140	both-sided glass fleece	A1	21 - 60	2
2	ULTIMATE BF-039	30 - 260	-	A1	15 - 60	1 - 5
3	ULTIMATE BSP 30	40 - 200	-	A1	15 - 60	1 - 5
4	ULTIMATE BSP 40	40 - 200	-	A1	15 - 60	1 - 5
5	ULTIMATE Brandriegel 160	160	one-sided glass fleece	A1	21 - 40	1, 2
6	ULTIMATE DP 1-031	30 - 200	both-sided glass fleece	A1	21 - 60	2
7	ULTIMATE DP Strongline-031	30 - 200	one-sided glass fleece	A1	21 - 60	2
8	ULTIMATE FSP-031	50 - 200	one-sided glass fleece	A1	21 - 40	1, 2
9	ULTIMATE FSP-031 Basis	50 - 200	-	A1	15 - 60	1 - 5
10	ULTIMATE FSP-032	30 - 220	one-sided glass fleece	A1	21 - 40	1
11	ULTIMATE FSP-033	30 - 260	one-sided glass fleece	A1	21 - 40	1
12	ULTIMATE FSP-034	30 - 260	one-sided glass fleece	A1	21 - 40	1
13	ULTIMATE FSP-034 Basis	60 - 200	-	A1	15 - 60	1 - 5
14	ULTIMATE FSP-039	30 - 260	one-sided glass fleece	A1	16	1, 5

Table 1: Description of the products (continued):

	Product			Classification		
	Name	Thickness range mm	Facing/ Coating	Reaction to fire class	Density range kg/m ³	Classification report or test report*
15	ULTIMATE FSP-L-031	60 - 200	one-sided glass fleece	A1	21 - 40	1
16	ULTIMATE HBF-031	40 - 200	one-sided glass fleece	A1	38	1
17	ULTIMATE HBF-034	40 - 260	-	A1	15 - 60	1 - 5
18	ULTIMATE HBF-039	40 - 260	-	A1	15 - 60	1 - 5
19	ULTIMATE HBP-031	40 - 200				
20	ULTIMATE HBP-033	40 - 260	-	A1	15 - 60	1 - 5
21	ULTIMATE HBP-034	30 - 260	-	A1	15 - 60	1 - 5
22	ULTIMATE HBP-039	40 - 260	-	A1	15 - 60	1 - 5
23	ULTIMATE KP-034	30 - 260	one-sided glass fleece	A1	21 - 60	2
24	ULTIMATE SBF-031	50 - 200	one-sided glass fleece	A1	38	1
25	ULTIMATE SSF-034	20 - 30	one-sided glass fleece	A1	23 - 40	1
26	ULTIMATE TF-039	30 - 260	-	A1	15 - 60	1 - 5
27	ULTIMATE Topdec DP 3 032 Rohling	30 - 200	one-sided glass fleece	A1	21 - 60	2
28	ULTIMATE Topdec DP-032 WBG	30 - 200	one-sided glass fleece	A1	21 - 60	2
29	ULTIMATE TP-039	30 - 260	-	A1	15	1 - 5
30	ULTIMATE UF-034	30 - 260	-	A1	15 - 60	1 - 5
31	ULTIMATE UF-039	30 - 260	-	A1	15 - 60	1 - 5
32	ULTIMATE UKF-034	30/60	one-sided glass fleece	A1	21 - 60	2
33	ULTIMATE MBF-034	30 - 260	-	A1	15 - 60	1 - 5
34	ULTIMATE WF-034	30 - 260	-	A1	15 - 60	1 - 5
35	ULTIMATE WF-039	30 - 260	-	A1	15 - 60	1 - 5
36	ULTIMATE WP-031	40 - 200	-	A1	15 - 60	1 - 5
37	ULTIMATE WP-034	30 - 260	-	A1	15 - 60	1 - 5
38	ULTIMATE WP-039	30 - 260	-	A1	15 - 60	1 - 5
39	ULTIMATE WSF Plus-031	40 - 200	one-sided glass fleece	A1	15 - 60	1 - 5
40	ULTIMATE WSF Plus-034	80 - 260	one-sided glass fleece	A1	15 - 60	1 - 5

Table 1: Description of the products (continued):

	Product			Classification		
	Name	Thickness range mm	Facing/ Coating	Reaction to fire class	Density range kg/m ³	Classification report or test report*
41	ULTIMATE WSF Plus-039	80 - 260	one-sided glass fleece	A1	16 - 60	2, 5
42	ULTIMATE WSF-034	80 - 260	one-sided glass fleece	A1	15 - 60	1 - 5
43	ULTIMATE WSF-039	80 - 260	one-sided glass fleece	A1	16 - 60	2, 5
44	ULTIMATE WSP-031	40 - 200	one-sided glass fleece	A1	21 - 60	2
45	ULTIMATE WSP-034	80 - 260	one-sided glass fleece	A1	21 - 60	2
46	ULTIMATE WSP-039	80 - 260	one-sided glass fleece	A1	16 - 60	2, 5
47	ULTIMATE WSP-034	80 - 260	one-sided glass fleece	A1	21 - 60	2
48	ULTIMATE WSP-039	80 - 260	one-sided glass fleece	A1	16 - 60	2, 5
49	ULTIMATE WSP Plus-031	40 - 200	one-sided glass fleece	A1	21 - 60	2
50	ULTIMATE WSP-Plus-034	80 - 260	one-sided glass fleece	A1	21 - 60	2
51	ULTIMATE WSP-Plus-039	80 - 260	one-sided glass fleece	A1	16 - 60	2, 5
52	ULTIMATE ZKF-031	80 - 200	one-sided glass fleece	A1	21 - 60	2, 3
53	ULTIMATE ZKF-034	80 - 260	one-sided glass fleece	A1	21 - 60	2
54	ULTIMATE ZKF-039	80 - 260	-	A1	21 - 40	1

*) see classification report or test report No.

- 1) KB-Hoch-181219
- 2) KB-Hoch-181247
- 3) KB-Hoch-190248
- 4) KB-Hoch-181130, KB-Hoch-171067, KB-Hoch-171078
- 5) KB-Hoch-141228

Gräfelfing, 24 June 2024



Dr. Andreas Schmeller

Certification Body